

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12515866	@ad< "20011101" @rlad< "20011101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:21
L2	30958	remote with access\$3 with (data file documents)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:22
L3	138269	remote with stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:22
L4	8788	2 and 3 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:23
L5	8885	(SOAP near5 protocol) (simple with object with protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:23
L6	223	4 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:23
L7	816741	(upload\$3 up\$load\$3 forward\$3 transmit\$4) with (data\$1 file\$1 document\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:25
L8	210	6 and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:25
L9	144163	remote near5 location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:26

L10	75	8 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:26
L11	107347	(upload\$3 up\$load\$3 forward\$3 transmit\$4 load \$3) with request\$3 with (data\$1 file\$1 document\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:34
L12	116094	(upload\$3 up\$load\$3 forward\$3 transmit\$4 load \$3) with request\$3 with (data\$1 file\$1 document\$1 content\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:34
L13	109	12 and 5 and 9 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:34
L14	21419	(upload\$3 up\$load\$3 load \$3) with request\$3 with (data\$1 file\$1 document\$1 content\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:48
L15	26	13 and 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:48
L16	127	(private LAN) with (behal\$3) with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:55
L17	60	16 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 20:55
L18	60	17 and request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:03
L19	73067	retriev\$3 with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:10

L20	30	19 and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:10
L21	9920	identif\$3 with (file\$1 document) with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:27
L22	18458	(identif\$3 retriev\$3) with (file \$1 document) with request \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:27
L23	165	22 and 5 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:27
L24	190498	remote near5 (location storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:28
L25	59	23 and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:28
L26	692	wak\$3 near5 LAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:34
L27	255	26 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:34
L28	3250	wake near5 (periodically repeat\$3 recurr\$3 timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:35
L29	12	27 and 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:35

L30	0	29 and (retriv\$3 with transmit\$4) near5 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:36
L31	1560	1 and 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:36
L32	0	(retriv\$3 with transmit\$4) near5 request\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:36
L33	1	(retriv\$3 with transmit\$4) with request\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:36
L34	37786	(upload\$3 up\$load\$3 transmit\$4) near5 request\$1 near5 (file\$1 document\$1 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:38
L35	89	31 and 34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:38
L36	89	35 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:38
L37	31	36 and (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:38
L38	781	(access near2 point) with (stor\$3) with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:44
L39	1	28 and 38 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:45

L40	13534	poll\$3 with (periodically repeat\$3 recurr\$3 timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:45
L41	12	38 and 40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:45
L42	2	41 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:45
L43	344910	power with consumption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:46
L44	1235	poll\$3 with (periodically repeat\$3 recurr\$3 timer) with request\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:46
L45	131	43 and 44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:46
L46	59	45 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:47
L47	397230	power with (consumption sav \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:47
L48	76	44 and 47 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:47
L49	13534	poll\$3 with (periodically repeat\$3 recurr\$3 timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:56

L50	2180	47 and 49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:56
L51	1104	50 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:56
L52	227130	(cach\$3 stor\$3) with (request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:57
L53	399	51 and 52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 21:57
L54	2278	(request\$3 near5 content\$1) same (firewall gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:06
L55	210060	((queue\$3 buffer\$3 stor\$3) with request\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:08
L56	4329	55 and 49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:09
L57	212	56 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:09
L58	59	57 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:09
L59	218636	((queue\$3 buffer\$3 stor\$3 cach\$3) with request\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:11

L60	1823	49 same ((poll\$3) with request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:12
L61	817626	(upload\$3 up\$load\$3 forward\$3 transmit\$4) with (data\$1 file\$1 document\$1 (web near5 content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:12
L62	744	59 and 60 and 61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:13
L63	398	62 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:13
L64	194	60 same 61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:14
L65	121	64 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:14
L66	16	(web near5 content near5 server) same ((periodically repeat\$3) with poll\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:30
L67	10	66 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:30
L68	68	(server) same ((periodically repeat\$3) with poll\$3) with (gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:38
L69	18	(server) with ((periodically repeat\$3) with poll\$3) with (gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:38

L70	0	69 same 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:38
L71	4	69 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:38
L72	716	provid\$3 with (request\$3 identif\$3) with (web near2 content\$3) with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:40
L73	55621	request\$3 with (periodically repeat\$3 recurr\$3 timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:41
L74	49	72 and 73 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:41
L75	37	74 and (gateway proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 22:43
S1	12494462	@ad< "20011101" @rlad< "20011101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/29 16:34
S2	40619	remote near2 access\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/29 16:34
S3	876	S2 and (SOAP near5 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/29 16:35
S4	234	S3 and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/29 16:35

S5	1	"20030084128" and (file near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/29 17:56
S6	1	"20030084128" and (local near2 file near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/29 17:57
S7	1	"20070263007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 16:35
S8	1	10/053402	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 16:57
S9	95192	remote with access\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 16:59
S10	2229770	(periodically repeat\$3 recursively)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:00
S11	24301	(periodically repeat\$3 recursively) with (poll\$3 pull \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:00
S12	12515866	@ad< "20011101" @rlad< "20011101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:01
S13	24334	S10 and S12 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:01
S14	30958	remote with access\$3 with (data file documents)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:01

S15	9010	S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:01
S16	1417	(periodically repeat\$3 recursively) with (poll\$3 pull \$3) with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:02
S17	706	S16 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:02
S18	68	S17 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:02
S19	378	retriv\$3 with (data file information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:52
S20	0	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 17:52
S21	1	10/053402 and medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 18:29
S22	1	10/053402 and subsystem	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/14 18:32
S23	4	10/046447	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 11:27
S24	2289	(periodically repeat\$3 recursively) with (poll\$3 pull \$3 retriev\$3) with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 11:38

S25	161	(periodically repeat\$3 recursively) with (poll\$3 pull \$3 retriev\$3) with request\$3 with (fil\$3 document\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 11:39
S26	12515866	@ad<"20011101" @rlad<"20011101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 11:39
S27	12515866	S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 11:39
S28	96	S25 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 11:39
S29	206	(periodically repeat\$3 recursively) with (poll\$3 pull \$3 retriev\$3) with request\$3 with (fil\$3 document\$1 e- mail\$1 email\$1 (electronic near2 mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 11:42
S30	127	S29 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 11:42
S31	1	"20020059181"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/15 12:58

4/ 15/ 2009 11:18:16 PM

C:\ Documents and Settings\ ktang4\ My Documents\ EAST\ Workspaces\ 10053402 II.wsp